
## Military Grade Rugged 24" Display

Model:RM-0313-226



#### Unleash the Power of Rugged Visualization





Introducing Rug-Rel Rugged LCD panel Displays, specifically designed for extreme working conditions. These displays are built to withstand harsh environments, featuring improved shock and vibration safeguards (MIL-STD-810G) and electromagnetic interference protection (MIL-STD-461E).

Our 24" Panel Mount LCD monitor offers a high-resolution display, perfect for integration into Cabinets, Consoles, Kiosks, and various Industrial/Military applications. It comes standard with an environmentally IP65 front and rear panel, providing resistance against dust, dirt, and liquid splashes. The rugged RM-0313-226 LCD is available with either a capacitive or a resistive touchscreen option.



**Connect to Productivity** 



**Trusted Reliability** 

## Military Grade Rugged 24" Display

Model:RM-0313-226



## Features & Technical Specifications

#### **Key Features:**

1920 x 1080 Resolution, 450 Nits

MIL-STD 810G& MIL-STD 461E Compliant

IP65 Front & Rear

Rack mounts mechanical design, supports VESA mount Military-Grade Power Connector (MIL-DTL-38999) Input Power AC 230VAC±10%, (Optional 12 to 36VDC)

Convenient On-Screen Display Controls

#### **Specifications:**

#### **Display**

Type LCD, Full HD
Resolution 1920x1080
Contrast Ratio 5000:1
Display color 16.7MColors
Size 24 Inches
Panel Brightness 450 Nits

View Angle  $-89 \sim 89$  (H);  $-89 \sim 89$  (V) Active Area 531.36(W)  $\times 298.89$ (H)mm

**Environment** 

Operating Temperature  $-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Operating Humidity 5% to 95% RH Storage Temperature  $-30^{\circ}\text{C} \sim 80^{\circ}\text{C}$ 

**Compliance** 

Environmental Conditions MIL-STD 810F/G EMI/EMC MIL-STD-461E/F

I/O Ports

Video 1 x HDMI (D38999 Connector)

Power 1x 230VAC (D38999 Series Connector)

Touch 1 x USB (D38999 connector)

Mechanical

Dimension  $647(W) \times 395 (H) \times 55.5 (D) \text{ mm}$ Mounting Type Rack Mount / VESA Mount

Enclosure Metal Housing with Aluminum Bezel

Cooling System Fan less Design

Control

Buttons 5 Key Power, Decrease, Increase, Exit/ Auto, Menu

Accessories 1 x Power Cord MIL-DTL-38999

1 x HDMI Cable MIL-DTL-38999 1 x USB Cable MIL-DTL-38999

# Military Grade Rugged 24" Display Model:RM-0313-226



### **Dimensions:**

